





























- COVID-19 outbreak in Saudi Arabia. *Process Saf Environ* 149 (2021), 223–233.
- [9] FENG, G., HUANG, G.-B., LIN, Q., AND GAY, R. Error minimized extreme learning machine with growth of hidden nodes and incremental learning. *IEEE T Neur Netw* 20, 8 (2009), 1352–1357.
- [10] HSIEH, C.-J., SI, S., AND DHILLON, I. A divide-and-conquer solver for kernel support vector machines. In *Intl Conf Mach Learn* (2014), pp. 566–574.
- [11] HUANG, G.-B., AND CHEN, L. Convex incremental extreme learning machine. *Neurocomputing* 70, 16-18 (2007), 3056–3062.
- [12] HUANG, G.-B., AND CHEN, L. Enhanced random search based incremental extreme learning machine. *Neurocomputing* 71, 16-18 (2008), 3460–3468.
- [13] HUANG, G.-B., ZHU, Q.-Y., MAO, K., SIEW, C.-K., SARATCHANDRAN, P., AND SUNDARARAJAN, N. Can threshold networks be trained directly? *IEEE T Circuits Syst II: Express Briefs* 53, 3 (2006), 187–191.
- [14] HUANG, G.-B., ZHU, Q.-Y., AND SIEW, C.-K. Extreme learning machine: a new learning scheme of feedforward neural networks. In *IEEE Intl J Conf Neur Netw* (2004), vol. 2, pp. 985–990.
- [15] HUANG, G.-B., ZHU, Q.-Y., AND SIEW, C.-K. Extreme learning machine: theory and applications. *Neurocomputing* 70, 1-3 (2006), 489–501.
- [16] HUANG, Y., AND LAI, D. Hidden node optimization for extreme learning machine. *AASRI Procedia* 3 (2012), 375–388. *Conf & Modelling, Identification and Control*.
- [17] LAI, J., WANG, X.-D., LI, R., SONG, Y., AND LEI, L. BD-ELM: a biased regularized extreme learning machine using biased dropout and biased dropout. *Math Probl Eng* 2020 (2020).
- [18] LAN, Y., AND HUANG, G.-B. A constructive enhancement for online sequential extreme learning machine. *Intl J Conf Neural Netw* (2009), Ieee, pp. 1706–1713.
- [19] MAHMOUD, M. R., AND ELROUMAND, S. Modeling the stochastic mechanism of sensor using a hybrid method based on seasonal autoregressive integrated moving average time series and generalized estimating equations. *ISA Transactions* (2021), 300–305.
- [20] MARQUES, N. C., AND GOMES, C. Implementing an intelligent moving average with a neural network. In *Proc European Conf Artif Intel*. IOS Press, 2010, pp. 1129–1130.
- [21] MICHE, Y., SORJAMAA, A., BAS, P., SIMULA, O., JUTTEN, C., AND LENDASSE, A. OP-ELM: optimally pruned extreme learning machine. *IEEE T Neur Netw* 21, 1 (2009), 158–162.
- [22] RONG, H.-J., ONG, Y.-S., TAN, A.-H., AND ZHU, Z. A fast pruned-extreme learning machine for classification problem. *Neurocomputing* 72, 1-3 (2008), 359–366.
- [23] SCHULER, J. P. S., ROMANI, S., ABDELNASSER, M., RASHWAN, H., AND PUIG, D. Grouped pointwise convolutions reduce parameters in convolutional neural networks. *MENDEL* 28, 1 (2022), 23–31.
- [24] SHEELA, K. G., AND DEEPA, S. N. Review on methods to fix number of hidden neurons in neural networks. *Math Probl Eng* 2013 (2013), 1–11.
- [25] SIMILÄ, T., AND TIKKA, J. Multiresponse sparse regression with application to multidimensional scaling. In *Intl Conf Artif Neural Netw* (2005), Springer, pp. 97–102.
- [26] SONG, S., WANG, M., AND LIN, Y. An improved algorithm for incremental extreme learning machine. *Syst Sci & Control Eng* 8, 1 (2020), 308–317.
- [27] SURESH, S., SURESHWANI, S., AND SUNDARARAJAN, N. Performance enhancement of extreme learning machine for multi-category sparse data classification problems. *Engineering and Artificial Intel* 23, 7 (2020), 1149–1157.
- [28] TAYLOR, I. M. Predictive model of the ENSO phenomenon based on regression trees. *MENDEL* 29, 1 (2023), 1–4.
- [29] YU, Y., AND DENG, L. Efficient and effective algorithm for training single-hidden-layer neural networks. *Modern Recogn Lett* 33, 5 (2012), 554–558.
- [30] ZHU, Q.-Y., QIN, A. K., SUGANTHAN, P. N., AND HUANG, G.-B. Evolutionary extreme learning machine. *Patt Recogn* 38, 10 (2005), 1759–1763.
- [31] ZHU, W., MIAO, J., AND QING, L. Constrained extreme learning machines: A study on classification cases. arXiv:1501.06115, 2015.